

Application No.: 09/446,525

Docket No.: 20162-00540-US

AMENDMENTS TO THE CLAIMS

14. (Currently amended) A cryptographic device which encrypts input data by sequentially processing it by a plurality of round processing which nonlinearly transforms it using extended key, comprising:

an initial splitting part which splits said input data to two pieces of block data;

a key storage part for storing extended key;

a cascade-connection of a plurality of [cascade-connected] round processing parts which is [are] supplied with said two pieces of block data and sequentially process them using said extended key; and

a final combining part which combines two pieces of block data output from the last round of said plurality of cascade-connected round processing parts into a single piece of data and outputs it;

wherein each of said plurality of round processing [part] parts comprises:

a non-linear function part which transforms one of two pieces of block data input thereto from the preceding stage, depending on extended key stored in said key storage part;

a linear operation part which linearly operates the output data from said nonlinear function part and the other of said two pieces of block data; and

a swapping part which swaps the output data from said linear operation part and the input block data to said nonlinear function part and provides the two pieces of swapped data as two pieces of input block data to said round processing part of the next round; and

wherein said nonlinear function part comprises:

a key-dependent linear transformation part which linearly transforms input data based on extended key stored in said key storage part to thereby generate transformed data;

Application No.: 09/446,525

Docket No.: 20162-00540-US

a splitting part which split the transformed data from said key-dependent linear transformation part to a plurality of bit strings;

a plurality of first nonlinear transformation parts each one of which nonlinearly [transform] transforms corresponding one of all of said plurality of bit strings, respectively, and output transformed data;

a first linear transformation part which linearly transforms said transformed data from said plurality of first nonlinear transformation parts in association with each other and outputs a plurality of pieces of uniformed data to a plurality of routes, respectively;

a second nonlinear transformation part provided in [at least] each one of said plurality of routes, for nonlinearly transforming said transformation parts, and for outputting the transformed data as data of that route; and

a combining part which combines data from said plurality of routes into output data of said nonlinear function part.

15. (Original) The cryptographic device of claim 14, wherein said first linear transformation part comprises a key-dependent linear operation part which linearly transforms said plurality of pieces of uniformed data based on extended key stored in said key storage part and outputs the plurality of transformed data as data of said plurality of routes.

16. (Original) The cryptographic device of claim 15, further comprising a second linear transformation part which linearly transforms the output data from said combining part to provide the output data of said nonlinear function part.

Application No.: 09/446,525

Docket No.: 20162-00540-US

17. (Previously amended) The cryptographic device of claim 16, wherein said second linear transformation part is a linear transformation part which performs a linear transformation based on extended key stored in said key storage part.

18. (Original) The cryptographic device of claim 17, wherein said first linear transformation part comprises at least one exclusive OR circuit provided in each of said plurality of routes, for outputting said uniformed data to said each route by an exclusive-OR operation of data of said each route and data of other routes.

19. (Original) The cryptographic device of claim 14, further comprising a second linear transformation part which linearly transforms the output data of said combining part to provide the transformed data as output data of said nonlinear function part.

20. (Original) The cryptographic device of claim 19, wherein said second linear transformation part is a linear transformation part which performs a linear transformation based on extended key stored in said key storage part.

21. (Original) The cryptographic device of claim 19, wherein said first linear transformation part comprises at least one exclusive OR circuit provided in each of said plurality of routes, for outputting said uniformed data to said each route by an exclusive-OR operation of data of said each route and data of other routes.

Application No.: 09/446,525

Docket No.: 20162-00540-US

22. (Original) The cryptographic device of any one of claims 14 through 21, further comprising an initial linear transformation part which linearly transforms said input data and supplies it to said initial splitting part.

23. (Original) The cryptographic device of claim 22, wherein said initial linear transformation part is a transformation part which performs a linear transformation based on extended key stored in said key storage part.

24. (Original) The cryptographic device of claim 23, further comprising a final linear transformation part which linearly transforms the output data of said final combining part to provide it as the output of said cryptographic device.

25. (Original) The cryptographic device of claim 24, wherein said final linear transformation part is a transformation part which performs a linear transformation based on extended key stored in said key storage part.

26. (Original) The cryptographic device of claim 22, further comprising a final linear transformation part which linearly transforms the output data of said final combining part to provide it as the output of said cryptographic device.

27. (Original) The cryptographic device of claim 26, wherein said final linear transformation part is a transformation part which performs a linear transformation based on extended key stored in said key storage part.

Application No.: 09/446,525

Docket No.: 20162-00540-US

28. (Original) The cryptographic device of claim 26, wherein said plurality of routes are first, second, third and fourth routes arranged in this order.

Claims 29-30 cancelled

31. (Currently amended) The cryptographic device of claim [30] 28, wherein said first linear transformation part comprises:

a first exclusive OR circuit provided in said second route, for carrying out the exclusive-OR between data of said first route and data of said second route;

a second exclusive-OR circuit provided in said third route, for carrying out the exclusive OR between data of said fourth route and data of said third route;

a third exclusive-OR circuit provided in said third route, for carrying out the exclusive OR between the output of said second exclusive-OR circuit and the output of said first exclusive-OR circuit;

a fourth exclusive-OR circuit provided in said second route, for carrying out the exclusive OR between the output of said first exclusive-OR circuit and the output of said third exclusive-OR circuit;

a fifth exclusive-OR circuit provided in said first route, for carrying out the exclusive OR between the output of said first exclusive-OR circuit and the output of said fourth exclusive-OR circuit;

Application No.: 09/446,525

Docket No.: 20162-00540-US

a sixth exclusive-OR circuit provided in said fourth route, for carrying out the exclusive OR between the data of said fourth route and the output of said third exclusive-OR circuit.

32. (Original) The cryptographic device of claim 23, wherein said plurality of routes are first, second, third and fourth routes arranged in this order.

Claims 33-34 cancelled

35. (Currently amended) The cryptographic device of claim [34] 32, wherein said first linear transformation part comprises:

a first exclusive OR circuit provided in said second route, for carrying out the exclusive-OR between data of said first route and data of said second route;

a second exclusive-OR circuit provided in said third route, for carrying out the exclusive OR between data of said fourth route and data of said third route;

a third exclusive-OR circuit provided in said third route, for carrying out the exclusive OR between the output of said second exclusive-OR circuit and the output of said first exclusive-OR circuit;

a fourth exclusive-OR circuit provided in said second route, for carrying out the exclusive OR between the output of said first exclusive-OR circuit and the output of said third exclusive-OR circuit;

Application No.: 09/446,525

Docket No.: 20162-00540-US

a fifth exclusive-OR circuit provided in said first route, for carrying out the exclusive OR between the data of said first route and the output of said fourth exclusive-OR circuit; and

a sixth exclusive-OR circuit provided in said fourth route, for carrying out the exclusive OR between the data of said fourth route and the output of said third exclusive-OR circuit.

36. (Original) The cryptographic device of claims 25, wherein said plurality of routes are first, second, third and fourth routes arranged in this order.

Claims 37-38 cancelled

39. (Currently amended) The cryptographic device of claim [38] 36, wherein said first linear transformation part comprises;

a first exclusive OR circuit provided in said second route, for carrying out the exclusive-OR between data of said first route and data of said second route;

a second exclusive-OR circuit provided in said third route, for carrying out the exclusive OR between data of said fourth route and data of said third route;

a third exclusive-OR circuit provided in said third route, for carrying out the exclusive OR between the output of said second exclusive-OR circuit and the output of said first exclusive-OR circuit;

Application No.: 09/446,525

Docket No.: 20162-00540-US

a fourth exclusive-OR circuit provided in said second route, for carrying out the exclusive OR between the output of said first exclusive-OR circuit and the output of said third exclusive-OR circuit;

a fifth exclusive-OR circuit provided in said first route, for carrying out the exclusive OR between the data of said first route and the output of said fourth exclusive-OR circuit; and

a sixth exclusive-OR circuit provided in said fourth route, for carrying out the exclusive OR between the data of said fourth route and the output of said third exclusive-OR circuit.

40. (Previously amended) The cryptographic device of any one of claims 14, 15, 16, 17, 18, 19, 20 or 21, further comprising a final linear transformation part which linearly transforms the output data of said final combining part to provide it as the output of said cryptographic device.

41. (Original) The cryptographic device of claim 40, wherein said final linear transformation part is a transformation part which performs a linear transformation based on extended key stored in said key storage part.

42. (Original) The cryptographic device of claim 40, wherein said plurality of routes are first, second, third and fourth routes arranged in this order.

43. Cancelled

Application No.: 09/446,525

Docket No.: 20162-00540-US

44. (Original) The cryptographic device of claim 42, wherein said second nonlinear transformation part is provided in each of said first and fourth routes.

45. (Currently amended) The cryptographic device of claim [44] 42, wherein said first linear transformation part comprises:

a first exclusive OR circuit provided in said second route, for carrying out the exclusive-OR between data of said first route and data of said second route;

a second exclusive-OR circuit provided in said third route, for carrying out the exclusive OR between data of said fourth route and data of said third route;

a third exclusive-OR circuit provided in said third route, for carrying out the exclusive OR between the output of said second exclusive-OR circuit and the output of said first exclusive-OR circuit;

a fourth exclusive-OR circuit provided in said second route, for carrying out the exclusive OR between the output of said first exclusive-OR circuit and the output of said third exclusive-OR circuit;

a fifth exclusive-OR circuit provided in said first route, for carrying out the exclusive OR between the data of said first route and the output of said fourth exclusive-OR circuit; and

a sixth exclusive-OR circuit provided in said fourth route, for carrying out the exclusive OR between the data of said fourth route and the output of said third exclusive-OR circuit.

Application No.: 09/446,525

Docket No.: 20162-00540-US

46. (Previously amended) The cryptographic device of any one of claims 14, 15, 16, 17, 18, 19, 20 or 21, wherein said plurality of routes are first, second, third and fourth routes arranged in this order.

47. Cancelled

48. Cancelled

49. (Currently amended) The cryptographic device of claim [48] 46, wherein said first linear transformation part comprises:

a first exclusive OR circuit provided in said second route, for carrying out the exclusive-OR between data of said first route and data of said second route;

a second exclusive OR circuit provided in said third route, for carrying out the exclusive OR between data of said fourth route and data of said third route;

a third exclusive-OR circuit provided in said third route, for carrying out the exclusive OR between the output of said second exclusive-OR circuit and the output of said first exclusive-OR circuit;

a fourth circuit-OR circuit provided in said second route, for carrying out the exclusive OR between the output of said first exclusive-OR circuit and the output of said third exclusive-OR circuit;

a fifth exclusive-OR circuit provided in said first route, for carrying out the exclusive OR between the data of said first route and the output of said fourth exclusive-OR circuit; and

Application No.: 09/446,525

Docket No.: 20162-00540-US

a sixth exclusive-OR circuit provided in said fourth route, for carrying out the exclusive OR between the data of said fourth route and the output of said third exclusive-OR circuit.